

13 Jan 2023

Post-Transplantation Monitoring  
Conditions of Transplanted Plants at Receptor Sites

Date of Submission: \_\_\_\_\_

P. of \_\_\_\_\_

Surveyor: Yuen, Andy & Tillo, Thomas

Date of Monitoring and Maintenance	Receptor Site	No.	Species	Plant Size Measurements			Amenity Value (High/ Medium/ Low)	Form (Good/ Fair/ Poor)	Health Condition (Good/ Fair/ Poor)	Structural Condition (Good/ Fair/ Poor)	Recommendation on Post-Transplantation Maintenance	Key Maintenance Activities Conducted	Remark
				DBH (mm)	Crown Spread (m)	Height (m)							
13/01/2023	A	AS-53	A. sinensis		-	1.75							no leaves; branches are dry
13/01/2023	A	AS-52	A. sinensis		-	1.15							no leaves; branches are dry
13/01/2023	B	CB-01	C. barometz			1.8							wilted leaves; weak stems
13/01/2023	B	GP-15	G. procera			0.13							20% green leaves
13/01/2023	B	GP-13	G. procera			0.07							chlorotic leaf
13/01/2023	B	GP-19	G. procera			0.20							some parts of a leaf are wilted
13/01/2023	B	GP-11	G. procera			0.18							chlorotic leaf; some parts of a leaf are wilted
13/01/2023	B	GP-07	G. procera			0.13							some parts of the leaves are wilted
13/01/2023	B	GP-05	G. procera			0.19							chlorotic leaf
13/01/2023	B	GP-06	G. procera			0.17							chlorotic leaves
13/01/2023	B	GP-04	G. procera			0.24							chlorotic leaves
13/01/2023	B	GP-12	G. procera			0.07							chlorotic leaf; wilted leaves
13/01/2023	B	GP-03	G. procera			0.07							leaves has holes
13/01/2023	B	GP-18	G. procera			0.10							some parts of the leaves are wilted
13/01/2023	B	GP-02	G. procera			0.07							chlorotic
13/01/2023	B	GP-01	G. procera			0.15							chlorotic leaf
13/01/2023	B	GP-16	G. procera			0.13							
13/01/2023	B	GP-08	G. procera			0.11							wilted leaves
13/01/2023	B	GP-09	G. procera			0.14							chlorotic
13/01/2023	B	GP-10	G. procera			0.24							chlorotic leaves
13/01/2023	B	GP-14	G. procera			0.15							wilted leaf
13/01/2023	B	GP-17	G. procera			0.10							some leaves are chlorotic
													chlorotic leaf

Note:

1. Measurements of spread and DBH are not applicable for undersized tree, shrubs, herbs and ferns.